

A1 Microwave

Web: <http://www.A1Microwave.com>

Email: A1sales@A1Microwave.com




A1 Microwave is a leading designer and manufacturer of filters, diplexers, power combiners, couplers and adaptors for satcoms, telecoms, radar, medical and scientific applications.

A1 Microwave also provides standard and custom waveguide components and assemblies including : straights, bends, twists and flexibles.

A1 Microwave is ITAR free and provides a **Fast delivery and No NRE** (on standard designs) by using sophisticated in-house design and simulation software, all new **designs are "right first time"** allowing the design to move from the design computer to the machine shop without the need for prototyping. **Stock filters available for immediate despatch.**

A1 Microwave has full in house CNC machining, turning, brazing, hard and soft soldering and bending facilities.



Ordering information :- Model number PB2203WB-CF/CG-W C-band Satcom 5G Rejection RED Filter

Designed to remove interference from 5G, WiMax, radar and other transmitters

All parameters met over -10 to + 50 degrees C operating temperature range

| | | |
|---|---|--|
| Passband | 3.82 to 4.2 GHz | |
| Passband insertion loss | 3.82 to 3.84 GHz 3.84 to 4.2 GHz | 1.3 dB typical, 1.5 dB max 0.9 dB typical, 1.0 dB max |
| Passband return loss | | 20 dB typical |
| Passband group delay variation in any 1 MHz | 3.82 to 3.84 GHz 3.84 to 4.2 GHz | 3.5 nS typical 1.45 nS typical |
| Rejection | DC to 3.72 GHz 3.72 to 3.8 GHz 4.23 to 5 GHz 5 to 11 GHz | 70 dB min 60 dB min 25 dB min 80 dB min |
| Overall length | 188 mm, 7.4" nominal | |
| Flanges | CPR 229 F and G (alternative flanges available) | |
| Paint | Two-Pack Epoxy White (alternative colours available) | |

